



TEST REPORT

Page 1 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal.Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

Samples not drawn by ELCA

Product Specification: --
Sample Description:

Product Details	Bore Size	Item Code	Drawing No.
ISO Pneumatic Cylinder	Ø 100mm	MA001000000000020000	ISO32320, Rev. 0, Date 22/02/2023

Condition of Test Component at Receipt: Good

DEGRESS OF PROTECTION TEST (IP67)

Discipline	Electrical	Group	ENVIRONMENTAL TEST FACILITY	
Test Method:	IEC 60529:2013			
Tested At	ELCA Laboratories Mahape	Tested on:	24-06-2023	

CONTENTS

- 1.0 GENERAL TEST DESCRIPTION
- 2.0 TEST DATA
- 3.0 ENVIRONMENTAL CONDITIONS
- 4.0 EQUIPMENT USED
- 5.0 TEST CONDITIONS
- 6.0 TEST RESULT





TEST REPORT

Page 2 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal.Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date Of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

1.0 GENERAL TEST DESCRIPTION

This Report presents the result of the Ingress Protection Test performed on ISO Pneumatic Cylinder submitted by M/s Duncan Engineering Limited. Sample is identified as E-4574-M.

All tests were carried out as per customer's requirements derived from the following standards.

APPLIED STANDARD: -

IEC 60529:2013


Degrees of Protection provided by enclosures (IP Code)

- Tests for protection of person against access to hazardous parts
(First Numeral: 6 Category 1)
as per Table No. 6 and Clause No. 12.2
- Tests for protection against solid foreign object
(First Numeral: 6 Category 1)
as per Table No. 7 and Clause No. 13.4
- Tests for protection against Water
(Second Numeral: 7)
as per Table No. 8 and clause No. 14.2.7

Acceptance conditions:

- Tests for protection of person against access to hazardous parts
as per Clause No. 12.3
- Tests for protection against solid foreign object
as per Clause No. 13.6.2
- Tests for protection against Water
as per Clause No. 14.3





TEST REPORT

Page 3 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal.Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date Of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

2.0 TEST DATA

Test Laboratory	ELCA LABORATORIES: Plot No. Gen-62, TTC Industrial Area, MIDC, Mahape, Navi Mumbai – 400710.
Test Date	a) Test for protection of person against access to hazardous parts on 23 rd June 2023. b) Test for protection against solid foreign object on 23 rd June 2023. c) Test for protection against Water on 24 th June 2023.
Tested By	Pravin Kamble
ELCA ID No.	E-4574-M

3.0 ENVIRONMENT CONDITIONS

Tests have been performed in a controlled laboratory environment, where the environmental conditions are maintained within the applicable ranges as follows.

Ambient Temperature	15°C - 35°C
Relative Humidity air	25% - 75%
Air pressure	86 kPa to 106 kPa (860 mbar to 1 060 mbar)

4.0 EQUIPMENT USED

TEST	Equipment Used	ELCA ID	Calibration Due on
Ingress Protection Test (IP6X)	Rigid Steel Rod of 1.0 mm dia. Object Probe	IPD/04	02-06-2024
	Digital Push Pull Force Gauge	IPD/08	27-12-2023
	Dust Chamber	ENV/006	27-02-2024
	U Tube Vacuum Gauge Manometer	ENV/008	30-09-2023
	Air Flow Meter	IPW/014	12-12-2023
Ingress Protection Test (IPX7)	Steel Scale	EL-29	14-10-2023
	Water Tank	--	--





TEST REPORT

Page 4 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal. Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date Of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

5.0 TEST CONDITIONS

Degrees of protection against Access as per Table 6

The sample was tested for protection against Access

Equipment Used	Rigid Steel Rod of 1.0 mm dia. Object Probe & Digital Push pull Force Gauge
Equipment ID	IPD/04 & IPD/08
IP code	First Characteristic numeral: 6

Degree of protection against foreign object as per Table 7

Exposure Period	8 hours at 20 mbar
Start time	09:15 AM on 23-06-2023
End time	05:15 PM on 23-06-2023
Equipment used	ENV/006
IP code	First Characteristic numeral: 6 Category: 1

The sample was placed in the Dust Chamber at room temperature. The test conditions are as follows: -

Type of dust used	Talcum powder
Size of dust	Passed through square meshed sieve of wire diameter 50µm and nominal width of a gap between wires 75 µm
Weight of dust used	3 kg. (2kg. per cubic meter of test chamber)
Chamber volume	1.5 cubic meter

Degrees of protection against water as per Table 8

The sample was tested for water test as per following conditions:

Equipment used	Water Tank
Location of the samples	Lowest point of sample is located at 1 meter below the surface of the water
Start time	03:30 PM dated 24-06-2023
End time	04:00 PM dated 24-06-2023
Duration of test	30 min
IP code	Second Characteristic numeral: 7





TEST REPORT

Page 5 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal.Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date Of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

The sample after protection against solid foreign object (dust test) inside the chamber was seen as follows:



The sample during protection against water test was seen as follows:





TEST REPORT

Page 6 of 6

Customer: M/s. Duncan Engineering Limited F-33, Ranjangaon MIDC, Karegaon, Tal.Shirur, Pune-412209	Report No.:	E-4574-M
	Report Date:	29-06-2023
	Job. No.:	ELM-22-23-16075
	Sample Received Date:	14-06-2023
	Date Of Completion:	24-06-2023
	ULR No.:	TC574323000013090F

Customer Ref. No. & Date: PPDCU00332 13-06-2023

The sample after protection against water and dust test was seen as follows:



The IP test procedure is based on IEC 60529(Degrees of Protection provided by enclosures IP Code). After the completion of each test sample was visually inspected.

6.0 TEST RESULT: -

Name of test	Observations after test
Tests for protection of person against access to hazardous parts (Probe Test)	Full diameter of probe did not pass through any opening.
Tests for protection against solid foreign object (Dust Test)	No dust was observed inside the sample.
Tests for protection against Water	No water was observed inside the sample.
Parameter	Result
Remark	Sample satisfies with the requirements of IP67 test as per IEC 60529:2013.

*****END OF REPORT*****



Checked By
Harshali Chaudhari



Reviewed & Authorised by
Authorised Signatory
(N.Kalyan/Kartik K. Iyer)
(Proprietor/Chief Executive Officer)

